

WHAT IS CLAIMED IS:

1. A document recognition apparatus comprising:
means for continuously sensing part of a document
to be recognized;

5 means for calculating for each sensed document
image a shift amount of a character string image of
a document image to be compared from a character string
image of a specific document image among a plurality of
sensed document images; and

10 means for, when the calculated shift amount
reaches a predetermined amount, compositing a new
character image in a character string image of
a document image of which shift amount reaches the
predetermined amount, with the character string image
15 of the specific document image, thereby generating
a document image.

2. An apparatus according to claim 1, further
comprising means for storing a partial image of the
continuously sensed document.

20 3. An apparatus according to claim 1, wherein
said means for calculating the shift amount comprises:
means for obtaining a row region of the document
image to be compared where the character string image
is present;

25 means for obtaining row feature projection data
representing a luminance feature in the obtained row
region; and

COPIES OF THIS DOCUMENT

means for calculating a shift amount of the character string image of the document image to be compared from the character string image of the specific document image on the basis of row feature projection data of the specific document image and row feature projection data of the document image to be compared.

4. An apparatus according to claim 1, wherein said means for calculating the shift amount comprises:

means for obtaining a column region of the document image to be compared where the character string image is present;

means for obtaining column feature projection data representing a luminance feature in the obtained column region; and

means for calculating a shift amount of the character string image of the document image to be compared from the character string image of the specific document image on the basis of column feature projection data of the specific document image and column feature projection data of the document image to be compared.

5. An apparatus according to claim 1, wherein the predetermined amount is determined on the basis of a shape of row feature projection data of the specific document image.

6. An apparatus according to claim 1, further

7. An apparatus according to claim 1, further comprising:

```

means for displaying the converted first document
data;

```

means for replacing a character of the first document data that is different from the second document data, by a character of the second document data that corresponds to the different character.

continuously sensing part of a document to be
recognized;

calculating for each sensed document image a shift amount of a character string image of a document image to be compared from a character string image of a

specific document image among a plurality of sensed document images; and

when the calculated shift amount reaches a predetermined amount, compositing a new character image in a character string image of a document image whose shift amount reaches the predetermined amount, with the character string image of the specific document image, thereby generating a document image.

9. A method according to claim 8, wherein the step of calculating the shift amount comprises:

obtaining a row region of the document image to be compared where the character string image is present;

obtaining row feature projection data representing a luminance feature in the obtained row region; and

calculating a shift amount of the character string image of the document image to be compared from the character string image of the specific document image on the basis of row feature projection data of the specific document image and row feature projection data of the document image to be compared.

10. A method according to claim 8, wherein the step of calculating the shift amount comprises:

obtaining a column region of the document image to be compared where the character string image is present;

obtaining column feature projection data representing a luminance feature in the obtained column

2025 RELEASE UNDER E.O. 14176

region; and

calculating a shift amount of the character string
image of the document image to be compared from the
character string image of the specific document image
on the basis of column feature projection data of the
specific document image and column feature projection
data of the document image to be compared.

11. A method according to claim 8, wherein the
predetermined amount is determined on the basis of
a shape of row feature projection data of the specific
document image.

12. A method according to claim 8, further
comprising the step of displaying images of some of
a plurality of documents which have successively been
sensed and are to be recognized.

13. A method according to claim 8, further
comprising:

converting the generated document image into first
document data;

displaying the converted first document data;

when part of a document to be recognized is zoomed
in and sensed by said image sensing means on the basis
of the displayed first document data, converting image
data of part of the document which has been zoomed in
and sensed into second document data; and

replacing a character of the first document data
that is different from the second document data, by

a character of the second document data that corresponds to the different character.

[illegible]